



**BLACKHAWK  
TIRE**

# **RADIAL TRUCK TIRES BROCHURE**

Regional / On & OFF Road / Off Road

# REGIONAL



## BFR11

**Suitable Conditions**  
Medium and long mileage vehicles running on paved roads.



Size	L.I. / S.R.	P.R.	L.C.C.			
			Single kg	Dual kg	A.P. kPA	A.P. PSI
7.00R16LT	118/114N	14	1320	1180	770	112
8.25R16LT	128/124L	16	1800	1600	770	112



## BFR65

**Suitable Conditions**  
Medium and long mileage vehicles running on paved roads.



Size	L.I. / S.R.	P.R.	L.C.C.			
			Single kg	Dual kg	A.P. kPA	A.P. PSI
295/80R22.5	152/149M	18	3550	3250	900	130
315/70R22.5	156/150L	18	4000	3350	900	130
315/80R22.5	156/153L	20	4000	3650	850	125



## BFR55

**Suitable Conditions**  
Medium and long mileage vehicles running on paved roads.



Size	L.I. / S.R.	P.R.	L.C.C.			
			Single kg	Dual kg	A.P. kPA	A.P. PSI
11R22.5	146/143L	16	3000	2725	830	120
215/75R17.5	135/133L	16	2180	2060	860	125
235/75R17.5	143/141L	18	2725	2575	860	125
295/75R22.5	144/141L	14	2800	2575	760	110
385/65R22.5	160K	20	4500		900	130



## BFR88

**Suitable Conditions**  
Medium and long mileage vehicles running on paved roads.



Size	L.I. / S.R.	P.R.	L.C.C.			
			Single kg	Dual kg	A.P. kPA	A.P. PSI
11R22.5	148/145M	16	3150	2900	850	123



## BAR49

**Suitable Conditions**  
Medium and long mileage vehicles running on paved roads.



Size	L.I. / S.R.	P.R.	L.C.C.			
			Single kg	Dual kg	A.P. kPA	A.P. PSI
275/80R22.5	149/146L	16	3250	3000	850	123

# ON/OFF ROAD



## BAM01

**Suitable Conditions**  
Medium and long mileage trucks running on paved and unpaved roads.



Size	L.I. / S.R.	P.R.	L.C.C.			
			Single kg	Dual kg	A.P. kPA	A.P. PSI
7.50R16LT	122/118L	14	1500	1320	770	112
8.25R16LT	126/122L	14	1700	1500	670	95
9.00R20	141/139K	14	2575	2430	790	115
11.00R20	150/147K	16	3350	3075	830	120
11.00R20	152/149K	18	3550	3250	930	135
12.00R20	154/151K	18	3750	3450	830	120
12.00R20	158/155J	22	4250	3875	970	140
11R22.5	148/145M	16	3150	2900	850	123



## BAM16

**Suitable Conditions**  
Medium and short mileage trucks running on paved and unpaved roads.



Size	L.I. / S.R.	P.R.	L.C.C.			
			Single kg	Dual kg	A.P. kPA	A.P. PSI
11.00R20	152/149K	18	3550	3250	930	135
12.00R20	154/151K	18	3750	3450	830	120

 **ON/OFF ROAD**



## BAM25

**Suitable Conditions**

Medium and long mileage trucks running on paved and unpaved roads.



Size	L.I. / S.R.	P.R.	L.C.C.			
			Single kg	Dual kg	A.P. kPA	A.P. PSI
10.00R20	149/146K	18	3250	3000	930	135
11.00R20	152/149K	18	3550	3250	930	135
12.00R24	162/160K	22	4750	4500	850	125



## BDM19

**Suitable Conditions**

unpaved roads.



Size	L.I. / S.R.	P.R.	L.C.C.			
			Single kg	Dual kg	A.P. kPA	A.P. PSI
10.00R20	149/146K	18	3250	3000	930	135
11.00R20	152/149K	18	3550	3250	930	135
12.00R20	154/151K	18	3750	3450	830	120
12.00R24	160/157K	20	4500	4125	900	130
265/70R19.5	143/141K	18	2725	2575	900	130



## BDM79

**Suitable Conditions**

Medium and short mileage trucks running on paved and unpaved roads.



Size	L.I. / S.R.	P.R.	L.C.C.			
			Single kg	Dual kg	A.P. kPA	A.P. PSI
325/95R24	162/160K	22	4750	4500	850	125

 **OFF ROAD**



## BDO89

**Suitable Conditions**

Short mileage vehicles running on unpaved roads.



Size	L.I. / S.R.	P.R.	L.C.C.			
			Single kg	Dual kg	A.P. kPA	A.P. PSI
7.50R16LT	122/118G	14	1500	1320	770	112
8.25R16LT	128/124G	16	1800	1600	770	112
8.25R20	139/137G	16	2430	2300	930	135
9.00R20	144/142F	16	2800	2650	900	130
10.00R20	149/146F	18	3250	3000	930	135
11.00R20	152/149F	18	3550	3250	930	135
12.00R20	154/151F	18	3750	3450	830	120
12.00R20	158/155F	22	4250	3875	970	140
12.00R24	160/156F	20	4500	4125	900	130
12R22.5	152/149G	18	3550	3250	930	135
315/80R22.5	156/150G	18	4000	3350	850	123

# BLACKHAWK

**Head Office :**

**PT. SAILUN TIRE INDONESIA**

Jl. Pantai Indah Kapuk, RT.6/RW.2, Kamal Muara,  
Kec. Penjaringan, Jakarta Utara, Daerah Khusus Ibukota Jakarta  
14470  
(+62) 811 888 0556 (Contact Person)

**Factory :**

**PT SAILUN MANUFACTURING INDONESIA**

Jatengland Industrial Park Sayung (JIPS) Blok D1 No. 1,  
Batu Tempel, Wonokerto, Karangtengah, Demak Regency, Central Java  
59561



Instagram : Blackhawktire.id